## NSN 6625-01-040-3629

Ammeter - Page 1 of 2

Nonhardened

**Circuit Current For Which Designed:** 



View Online at https://aerobasegroup.com/nsn/6625-01-040-3629

Reliability Indicator:
Not established
Overall Length:
1.625 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.312 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.312 inches
Overall Height:
1.810 inches
Overall Width:
1.810 inches
Mounting Hole Diameter:
0.125 inches
Installation Design:
Panel
Mounting Arrangement Style:
Four hole/stud rectangular/square
Dial Scale Marking Color:
Black single indicator single range
Accuracy In Percent:
-3.0/+3.0 at full scale single indicator single range
Meter Depth Behind Mounting Flange:
1.000 inches
Meter Body Diameter Behind Mounting Flange:
1.510 inches
Movement Type:
Moving coil, permanent magnet
Background Color:
White single indicator single range
Mounting Facility Type And Quantity:
4 unthreaded hole
Measurement Range:
+0.0/+100.0 milliamperes, dc single indicator single range
Movement Suspension Method:
Jewel pivot base
Circuit Attachment Method And Quantity:
2 solder lug
Nuclear Hardness Critical Feature:

## NSN 6625-01-040-3629

Ammeter - Page 2 of 2



Styl			

Rectangular flush mtg

**Fsc Application Data:** 

Test set, elect. Equip.

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A310a0