NSN 6625-01-049-8559

Ammeter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-01-049-8559

Circuit Current For Which Designed:
Ac
Overall Length:
2.650 inches
Mounting Hole Diameter:
0.125 inches
Scale Division Quantity:
40 single indicator single range
Frequency Rating:
60.0 hertz
Overall Diameter:
2.695 inches
Environmental Protection:
Airtight and dust resistant and fungus resistant and heat resistant and humidity resistant and shock resistant and vibration resistant and
water resistant
Mounting Bolt Circle Diameter:
2.440 inches
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Mounting Arrangement Style:
Three hole/stud bolt circle
Dial Scale Marking Color:
White single indicator single range
Accuracy In Percent:
-2.0/+2.0 at full scale single indicator single range
Meter Depth Behind Mounting Flange:
1.600 inches
Meter Body Diameter Behind Mounting Flange:
2.210 inches
Movement Type:
Moving coil, permanent magnet
Background Color:
Black single indicator single range
Pointer Color:
White single indicator single range
Mounting Facility Type And Quantity:
3 screw and 3 unthreaded hole
Scale Graduation Type:
Linear single indicator single range

+0.0/+20.0 amperes, ac single indicator single range

Measurement Range:

NSN 6625-01-049-8559 Ammeter - Page 2 of 2



Scale Selection Method:
Terminal
Movement Suspension Method:
Jewel pivot base
Circuit Attachment Method And Quantity:
2 solder lug and 2 threaded stud
Material:
Plastic
Surface Treatment:
Paint
Style Designator:
Round flush mtg
Test Data Document:
81349 mil-prf-10304 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
81349 - mil-prf-10304/7 government specification
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
No
Fiig:
A310a0
Mil-std (military Standard):
Mil-prf-10304 spec.