

View Online at <https://aerobasegroup.com/nsn/6625-01-057-0793>

Overall Length:

2.500 inches

Overall Diameter:

0.550 inches

Environmental Protection:

Shock resistant and vibration

Vibration Resistance Range In Hertz:

+80.0/+2000.0

Vibration Resistance Amplitude:

20.0 gravitational units

Shock Resistance Rating In Gravitational Units:

100.0

Operating Temperature Range:

-20.0/+85.0 degrees celsius

Storage Temperature Range:

-54.0/+85.0 degrees celsius

Average Life Measurement:

Not rated

Basic Shape Style:

Cylindrical

Maximum Operating Altitude Rating:

4570.0 meters

Inclosure Type:

Encased

Operating Control Method:

Automatic

Installation Design:

Mechanical

Circuit Construction Type:

Solid state

Frequency Per Channel:

10.0 megahertz operating channel and 18.0 gigahertz operating channel

Average Power Rating Per Channel:

200.0 milliwatts input

Impedance Rating Per Channel:

50.000 ohms input channel

Shock Pulse Duration Time:

11.0 milliseconds

Connection Type And Location:

Receptacle, coaxial left side and receptacle, coaxial right side

Connection Contact Type And Quantity:

2 receptacle, coaxial external

Special Features:

Corrosion resistant

Supplementary Features:

Positive polarity output

Fsc Application Data:

Test set, elect. Equip.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A32200