NSN 6625-01-057-4012

Pulse Generator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-01-057-4012 **Overall Length:** 17.000 inches **Overall Height:** 3.500 inches **Overall Width:** 13.500 inches **Vibration Resistance Range In Hertz:** Not rated **Individual Section Quantity: Shock Resistance Rating In Gravitational Units:** Not rated **Operating Tempurature Range:** +0.0/+50.0 degrees celsius **Average Life Measurement:** Not rated **Basic Shape Style:** Rectangular or square **Identification Designator:** P22-07421 **Maximum Operating Altitude Rating:** Not rated **Inclosure Type:** Encased **Operating Control Method:** Manual Installation Design: Top of cabinet/counter **Control Type:** Local **Circuit Construction Type:** Solid state Frequency Adjustment Type: Continuous **Attenuation In Decibels:** Not rated **Average Power Rating Per Channel:** Not rated **Overall Gain:** Not rated **Pulse Rise Time Per Channel:**

3.500 nanoseconds output channel

NSN 6625-01-057-4012

Pulse Generator - Page 2 of 2



| Pulse Decay Time Per Channel: |
|--|
| 3.500 nanoseconds output channel |
| Polarity Per Channel: |
| Positive output channel err-100 |
| Output Wave Shape: |
| Pulse, trigger |
| Indicator Device Type And Quantity: |
| 1 light |
| Connection Type And Location: |
| Receptacle, coaxial front |
| Operating Ac Frequency In Hertz: |
| 48.0 2nd voltage |
| Connection Contact Type And Quantity: |
| 4 receptacle, coaxial external |
| External Ac Operating Voltage In Volts: |
| 230.0 4th voltage |
| Phase: |
| Single |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A32200 |