

View Online at <https://aerobasegroup.com/nsn/6625-01-060-6272>

Overall Length:

15.000 inches

Overall Height:

6.000 inches

Overall Width:

11.250 inches

Operating Temperature Range:

+0.0/+50.0 degrees celsius

Basic Shape Style:

Rectangular or square

Installation Design:

Transportable

Circuit Construction Type:

Solid state

Frequency Per Channel:

20.0 megahertz 1st output channel err-100

Impedance Rating Per Channel:

50.000 ohms 1st input channel err-100

Pulse Duration Per Channel:

30.000 nanoseconds output channel err-100

Pulse Rise Time Per Channel:

15.000 nanoseconds output channel

Pulse Decay Time Per Channel:

15.000 nanoseconds output channel

Pulse Peak Amplitude Per Channel:

30.000 volts output channel

Output Wave Shape:

Pulse, sweep

Connection Type And Location:

Receptacle, coaxial rear

Operating Ac Frequency In Hertz:

50.0 4th voltage

External Ac Operating Voltage In Volts:

90.0 1st voltage

Special Features:

Min. Frequency 0.00002 hz; additional output wave shapes sine, square, triangle, sweep sawtooth, dc level; linear and logarithmic sweeps; amplifier external input

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A32200