## NSN 6625-01-062-4661

Signal Generator - Page 1 of 2



Vi	ew Online at https://aerobasegroup.com/nsn/6625-01-062-4661
M	ounting Type:
Ra	ack
O	verall Length:
18	3.750 inches
O	verall Height:
5.	500 inches
O	verall Width:
16	5.750 inches
Cı	urrent Type:
Ac	
Fr	equency Rating:
Ве	etween 48.0 hertz and 440.0 hertz
Ca	ase Material:
Me	etal
Ca	ase Surface Treatment:
Pa	ainted
Fr	equency Range Rating:
+0	0.0005/+1.0240 gigahertz
In	ternal Battery Accommodation:
No	ot included
Vo	oltage Rating:
Ве	etween 100.0 volts and 120.0 volts
Fr	equency Band Quantity:
10	
M	odulation Type:
Ar	n and fm and pulse
Fi	xed Frequency Rating:
40	0.0 hertz and 1.0 kilohertz
Fi	xed Frequency Quantity:
2	
Cr	rystal Controlled Feature:
Pr	ovided
Ma	aximum Signal Output:
3 \	vrms into 600 ohm impedance
M	odulator Location:
Int	ternal

**Modulated Frequency Rating:** 

Between 0.0005 gigahertz and 1.024 gigahertz

**Pulse Repetition Frequency Rating:** 

Between 0.05 kilohertz and 250.0 kilohertz

**Modulation Degree:** 

Between 0.0 percent and 100.0 percent

## NSN 6625-01-062-4661

Signal Generator - Page 2 of 2



Phase:
Single
Special Features:
Has an internal variable audio oscillator and an internal doubler as options, can also be operated on 220 and 240 volts ac
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T320-j