

View Online at <https://aerobasegroup.com/nsn/6625-01-069-7472>

**Overall Length:**

17.500 inches

**Overall Height:**

5.250 inches

**Overall Width:**

16.750 inches

**Operating Temperature Range:**

+0.0/+52.0 degrees fahrenheit

**Average Life Measurement:**

Not rated

**Basic Shape Style:**

Rectangular or square

**Maximum Operating Altitude Rating:**

10000.0 feet

**Inclosure Type:**

Encased

**Installation Design:**

Rack

**Circuit Construction Type:**

Solid state

**Signal Data Type Per Channel:**

Output channel pulse delay

**Output Wave Shape:**

Pulse, variable width

**Operating Ac Frequency In Hertz:**

48.0 single voltage and 62.0 single voltage

**External Ac Operating Voltage In Volts:**

115.0 single voltage and 23.0 single voltage

**Functional Classification:**

Bb-1.5

**Special Features:**

Manufacturers name: generator, digital delay

**Functional Description:**

Generates accurate delays in one nanosecond steps over a wide range; delay time readily dialed in with thumb wheel switches; all input and output signal polarities are selectable; input trigger sensitivity variable by front panel control; 3 input triggering modes are provided: external, manual and internal

**Supplementary Features:**

Accessories supplied one 3-to-2 wire ac line adapter two mounting ears, one extender board, two instruction manuals; options t=115230vac 50-400 hz, y5=9 digit range 999, 999, 999 nanoseconds, optd=internal crystal oscillator

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A32200