

View Online at <https://aerobasegroup.com/nsn/6625-01-073-3011>

**Circuit Current For Which Designed:**

Ac

**Overall Length:**

2.556 inches

**Overall Height:**

3.615 inches

**Overall Width:**

4.303 inches

**Mounting Hole Diameter:**

0.125 inches

**Environmental Protection:**

Dust resistant and fungus resistant and humidity resistant and shock resistant and vibration resistant

**Distance Between Mounting Facility Centers:**

3.500 inches

**Furnished Items And Quantity:**

Nut 2; lockwasher 2

**Indicator Type:**

Dial w/pointer

**Installation Design:**

Panel

**Mounting Arrangement Style:**

Two hole/stud

**Sensitivity Rating:**

5.0 microamperes

**Dial Scale Marking Color:**

Black single indicator all ranges

**Accuracy In Percent:**

-1.0/+1.0 at full scale single indicator all ranges

**Meter Depth Behind Mounting Flange:**

1.162 inches

**Meter Body Diameter Behind Mounting Flange:**

3.383 inches

**Movement Type:**

Moving coil, permanent magnet

**Background Color:**

White single indicator all ranges

**Pointer Color:**

Black single indicator all ranges

**Power Source:**

External

**Mounting Facility Type And Quantity:**

2 screw and 2 unthreaded hole

**Scale Graduation Type:**

Nonlinear single indicator all ranges

**Measurement Range:**

+0.0/+5.0 amperes, ac single indicator 1st range

**Scale Selection Method:**

Terminal

**Features Provided:**

Mirror scale and rectifier circuit and zero adjuster

**Movement Suspension Method:**

Jewel pivot base

**Circuit Attachment Method And Quantity:**

2 threaded stud

**Material:**

Steel

**Nuclear Hardness Critical Feature:**

Nonhardened

**Surface Treatment:**

Paint

**Special Test Features:**

Complies with mil-m-10304

**Style Designator:**

Rectangular flush mtg

**Fsc Application Data:**

Test set, elect. Equip.

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A310a0