# NSN 6625-01-074-9385

Oscilloscope - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-01-074-9385

# Overall Length:

375.0 millimeters

# **Overall Height:**

190.0 millimeters

# **Overall Width:**

260.0 millimeters

# **Current Type:**

Ac

#### Frequency Rating:

Between 50.0 hertz and 60.0 hertz

#### Voltage Rating:

117.0 volts and 234.0 volts

# Accuracy Range In Percent:

-1.0/+1.0

# Screen Size:

8 by 10 centimeters

# Sweep Circuits:

. . . .

# Included

# Single Trigger Sweep Duration:

Between 0.2 microseconds and 500.0 microseconds

# Expanded Sweep:

Provided

# Amplifier Deflection Sensitivity Provision:

Provided

# Vertical Deflection Sensitivity Voltage Rating:

5.0 millivolts peak to peak per centimeter and 5000.0 millivolts peak to peak per centimeter

# Horizontal Deflection Sensitivity Voltage Rating:

5.0 millivolts cw megahertz and 5000.0 millivolts peak megahertz

# Input Intensity Modulation Feature:

Provided

# Visual Modulation Sensitivity Voltage Rating:

Between 5.0 volts and 50.0 volts

# Frequency Response Rating:

Provided

# X-axis Frequency Response Rating:

Between 10.0 hertz and 2000000.0 hertz

# Y-axis Frequency Response Rating:

Between 10.0 hertz and 30000000.0 hertz

# Amplitude Calibrating Voltage Waveform:

Square wave

# Calibrating Peak To Peak Amplitude:

Between 495.0 millivolts and 505.0 millivolts

# NSN 6625-01-074-9385

Oscilloscope - Page 2 of 2

Phase:

Single

Shelf Life:

N/a

Unit Of Measure:

--

# Demilitarization:

No

Fiig:

T320-g

