

View Online at <https://aerobasegroup.com/nsn/6625-01-079-3755>

Circuit Current For Which Designed:

Dc

Dielectric Withstanding Voltage In Volts:

1500.0

Overall Length:

1.625 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.312 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.312 inches

Overall Height:

1.800 inches

Overall Width:

1.800 inches

Mounting Stud Length:

1.625 inches

Installation Design:

Panel

Mounting Arrangement Style:

Four hole/stud rectangular/square

Frequency Response Range:

+1.000/+60.000 hertz

Sensitivity Rating:

1000.0 ohms per volt

Dial Scale Marking Color:

Black single indicator single range

Accuracy In Percent:

-3.0/+3.0 at full scale single indicator all ranges

Meter Depth Behind Mounting Flange:

1.250 inches

Meter Body Diameter Behind Mounting Flange:

1.510 inches

Movement Type:

Moving magnet

Mounting Facility Type And Quantity:

4 threaded stud

Measurement Range:

+0.0/+10.0 volts, dc single indicator single range

Mounting Stud Diameter:

0.125 inches

Scale Selection Method:

Terminal

Features Provided:

Magnetic shield

Circuit Attachment Method And Quantity:

2 solder lug

Special Features:

Internal preset zero adjust

Special Markings:

Sealed-do not open

Special Test Features:

Rfi shielding provided

Style Designator:

Rectangular flush mtg

Test Data Document:

81349-milc10304e specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Purchase Description Identification:

80063-sma761397-001

Specification Or Standard:

Mr13a010dcvvr type

Fsc Application Data:

Test set, navigation set ts-3506/psn-6 assembly

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A310a0