

View Online at <https://aerobasegroup.com/nsn/6625-01-080-3445>

**Circuit Current For Which Designed:**

Ac or dc

**Overall Depth:**

9.000 inches

**Overall Height:**

2.700 inches

**Overall Width:**

8.400 inches

**Frequency Rating:**

Between 50.0 hertz and 400.0 hertz

**Furnished Items And Quantity:**

Power line; test lead 2

**Indicator Type:**

Digital display

**Installation Design:**

Bench

**Background Color:**

Red single indicator all ranges

**Power Source:**

External or internal

**Display Type:**

Light emitting diode

**Display Digit Quantity:**

3-1/2

**Measurement Range:**

+0.0/+10.0 amperes, ac single indicator 1st range+0.0/+10.0 amperes, dc single indicator 2nd range+0.0/+20.0 megohms single indicator 3rd range-60.0/+600.0 volts, ac single indicator 4th range-1000.0/+1000.0 volts, dc single indicator 5th range

**Scale Selection Method:**

Switch

**Features Provided:**

Electrical overload protection and internal battery accommodation and portable

**Accuracy Rating:**

Porm 1.5 pct of reading plus 2 digits single indicator 1st rangeform 0.5 pct of reading plus 1 digit single indicator 2nd rangeform 0.5 pct of reading plus 1 digit single indicator 3rd rangeform 0.5 pct of reading plus 2 digits single indicator 4th rangeform 0.1 pct of reading plus 1 digit single indicator 5th range

**Display Color:**

Red single indicator all ranges

**Circuit Attachment Method And Quantity:**

4 banana jack and 1 pin jack

**Nuclear Hardness Critical Feature:**

Nonhardened

**Style Designator:**

Portable w/tilt view handle

**Fsc Application Data:**

Elec. elect. Properties measuring and test instruments

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A310a0