

View Online at <https://aerobasegroup.com/nsn/6625-01-081-5701>

Circuit Current For Which Designed:

Ac

Overall Length:

7.020 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.375 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.375 inches

Overall Height:

4.310 inches

Overall Width:

4.310 inches

Mounting Hole Diameter:

0.250 inches

Scale Division Quantity:

6 single indicator single range

Frequency Rating:

Between 50.0 hertz and 60.0 hertz

Indicator Type:

Dial w/pointer

Installation Design:

Panel

Mounting Arrangement Style:

Four hole/stud rectangular/square

Sensitivity Rating:

5.0 amperes

Dial Scale Marking Color:

Black single indicator single range

Accuracy In Percent:

-1.0/+1.0 at full scale single indicator single range

Movement Type:

Electrostatic

Background Color:

White single indicator single range

Pointer Color:

Black single indicator single range

Mounting Facility Type And Quantity:

4 unthreaded hole

Scale Graduation Type:

Linear single indicator single range

Measurement Range:

+0.0/+5.0 amperes, ac single indicator single range

Accuracy Rating:

Porn 1 pct reading full scale single indicator single range

Display Color:

White single indicator single range or black single indicator single range

Circuit Attachment Method And Quantity:

4 wire lead

Operating Voltage Rating In Volts:

120.0 ac

Phase:

Three

Special Features:

USEO-NG-ENE-RATO

Nuclear Hardness Critical Feature:

Nonhardened

Style Designator:

Rectangular surface mtg

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A310a0