

View Online at <https://aerobasegroup.com/nsn/6625-01-085-4683>

**Circuit Current For Which Designed:**

Ac

**Dielectric Withstanding Voltage In Volts:**

1500.0

**Overall Length:**

3.780 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

3.805 inches

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

0.750 inches

**Overall Height:**

1.506 inches

**Overall Width:**

4.234 inches

**Mounting Hole Diameter:**

0.138 inches

**Scale Division Quantity:**

15 single indicator single range

**Frequency Rating:**

400.0 hertz

**Indicator Type:**

Dial w/pointer

**Installation Design:**

Panel

**Mounting Arrangement Style:**

Four hole/stud rectangular/square

**Dial Scale Marking Color:**

Black single indicator single range

**Accuracy In Percent:**

-3.0/+3.0 at full scale single indicator all ranges

**Movement Type:**

Moving iron vane

**Background Color:**

White single indicator single range

**Pointer Color:**

Black single indicator single range

**Mounting Facility Type And Quantity:**

4 threaded hole

**Scale Graduation Type:**

Linear single indicator single range

**Measurement Range:**

+0.0/+150.0 volts, ac single indicator single range

**Features Provided:**

Magnetic shield and zero adjuster

**Movement Suspension Method:**

Jewel pivot base

**Circuit Attachment Method And Quantity:**

1 connector, plug

**Phase:**

Single

**Material:**

Aluminum

**Nuclear Hardness Critical Feature:**

Nonhardened

**Style Designator:**

Rectangular surface mtg

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A310a0