NSN 6625-01-086-6973

Ammeter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-01-086-6973

AL 1/A . T. 1911 I.B. I. I.
Circuit Current For Which Designed:
Dc
Overall Length:
7.669 inches
Overall Height:
4.408 inches
Overall Width:
4.846 inches
Mounting Stud Length:
Between 0.480 inches and 0.520 inches
Installation Design:
Panel
Sensitivity Rating:
100.0 millivolts
Dial Scale Marking Color:
Black single indicator single range
Accuracy In Percent:
-2.0/+2.0 at full scale single indicator single range
Meter Depth Behind Mounting Flange:
6.801 inches
Meter Body Diameter Behind Mounting Flange:
2.946 inches
2.940 ITCHES
Background Color:
Background Color:
Background Color: White single indicator single range
Background Color: White single indicator single range Mounting Facility Type And Quantity:
Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 threaded stud
Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 threaded stud Measurement Range:
Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 threaded stud Measurement Range: +0.0/+100.0 amperes, dc single indicator single range
Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 threaded stud Measurement Range: +0.0/+100.0 amperes, dc single indicator single range Scale Selection Method:
Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 threaded stud Measurement Range: +0.0/+100.0 amperes, dc single indicator single range Scale Selection Method: Terminal
Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 threaded stud Measurement Range: +0.0/+100.0 amperes, dc single indicator single range Scale Selection Method: Terminal Special Features:
Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 threaded stud Measurement Range: +0.0/+100.0 amperes, dc single indicator single range Scale Selection Method: Terminal Special Features: Double set point
Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 threaded stud Measurement Range: +0.0/+100.0 amperes, dc single indicator single range Scale Selection Method: Terminal Special Features: Double set point Material: Plastic
Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 threaded stud Measurement Range: +0.0/+100.0 amperes, dc single indicator single range Scale Selection Method: Terminal Special Features: Double set point Material:
Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 threaded stud Measurement Range: +0.0/+100.0 amperes, dc single indicator single range Scale Selection Method: Terminal Special Features: Double set point Material: Plastic Style Designator:
Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 threaded stud Measurement Range: +0.0/+100.0 amperes, dc single indicator single range Scale Selection Method: Terminal Special Features: Double set point Material: Plastic Style Designator: Rectangular flush mtg
Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 threaded stud Measurement Range: +0.0/+100.0 amperes, dc single indicator single range Scale Selection Method: Terminal Special Features: Double set point Material: Plastic Style Designator: Rectangular flush mtg Shelf Life:
Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 threaded stud Measurement Range: +0.0/+100.0 amperes, dc single indicator single range Scale Selection Method: Terminal Special Features: Double set point Material: Plastic Style Designator: Rectangular flush mtg Shelf Life: N/a

No

NSN 6625-01-086-6973

Ammeter - Page 2 of 2



Fiig:

A310a0