## NSN 6625-01-089-1024

**Vibration Resistance Range In Hertz:** 

**Operating Tempurature Range:** 

-54.0/+85.0 degrees celsius

**Shock Resistance Rating In Gravitational Units:** 

Overall Length: 0.500 inches Overall Height: 0.120 inches Overall Width: 0.375 inches

Not rated

Not rated

Frequency Mixer Stage - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-01-089-1024

Average Life Measurement:
Not rated
Basic Shape Style:
Rectangular or square
Identification Designator:
17154-14632
Maximum Operating Altitude Rating:
Not rated
Inclosure Type:
Partially enclosed
Installation Design:
Module
Circuit Construction Type:
Solid state
Frequency Per Channel:
500.0 megahertz output channel err-100
Attenuation In Decibels:
Not rated
Average Power Rating Per Channel:
Not rated
Signal Voltage Rating Per Channel:
Not rated
Overall Gain:
Not rated
Impedance Rating Per Channel:
Not rated
Maximum Continuous Operating Time In Hours:
Not rated
Connection Type And Location:
Solder lug bottom and solder lug top

## NSN 6625-01-089-1024

Frequency Mixer Stage - Page 2 of 2



Connection	Contact	Type	۸nd	Ouantity	,.
Connection	Contact	i vbe	Ana	Quantity	/-

4 solder lug external and 4 solder lug external

**External Dc Operating Voltage In Volts:** 

12.0 single voltage

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A32200