## NSN 6625-01-089-1024

Frequency Mixer Stage - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-01-089-1024

Overall Length:
0.500 inches
Overall Height:
0.120 inches
Overall Width:
0.375 inches
Vibration Resistance Range In Hertz:
Not rated
Shock Resistance Rating In Gravitational Units:
Not rated
Operating Tempurature Range:
-54.0/+85.0 degrees celsius
Average Life Measurement:
Not rated
Basic Shape Style:
Rectangular or square
Identification Designator:
17154-14632
Maximum Operating Altitude Rating:
Not rated
Inclosure Type:
Partially enclosed
Installation Design:
Module
Circuit Construction Type:
Solid state
Frequency Per Channel:
500.0 megahertz output channel err-100
Attenuation In Decibels:
Not rated
Average Power Rating Per Channel:
Not rated
Signal Voltage Rating Per Channel:
Not rated
Overall Gain:
Not rated
Impedance Rating Per Channel:
Not rated
Maximum Continuous Operating Time In Hours:
Not rated
Connection Type And Location:
Solder lug bottom and solder lug top

## NSN 6625-01-089-1024

Frequency Mixer Stage - Page 2 of 2



**Connection Contact Type And Quantity:** 

4 solder lug external and 4 solder lug external

## External Dc Operating Voltage In Volts:

12.0 single voltage

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A32200