NSN 6625-01-093-6750

Special Scale Meter - Page 1 of 2

Circuit Current For Which Designed:

Black single indicator all ranges

Ac



View Online at https://aerobasegroup.com/nsn/6625-01-093-6750

Overall Length:
2.200 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.880 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.880 inches
Overall Height:
2.270 inches
Overall Width:
2.990 inches
Scale Division Quantity:
50 single indicator all ranges
Mounting Stud Length:
0.500 inches
Environmental Protection:
Cold resistant and heat resistant and shock resistant and vibration resistant
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Mounting Arrangement Style:
Four hole/stud rectangular/square
Frequency Response Range:
+90.000/+150.000 hertz
Sensitivity Rating:
50.0 microamperes
Dial Scale Marking Color:
Black single indicator all ranges
Accuracy In Percent:
-1.0/+1.0 at 1/2 scale single indicator all ranges
Meter Depth Behind Mounting Flange:
1.300 inches
Meter Body Diameter Behind Mounting Flange:
2.140 inches
Movement Type:
Moving coil, permanent magnet
Background Color:
White single indicator all ranges
Pointer Color:

NSN 6625-01-093-6750

Special Scale Meter - Page 2 of 2



Scale Marking:
$ Ddm; upper \ range: \25; \2; \15; \1; \05; \ 0; \ .05; \ .1; \ .15; \ .2; \ .25; \ lower \ range: \5; \4; \3; \2; \1; \ 0; \ 1; \ 2; \ 3; \ 4; \ 5; \2; \ -$
Mounting Facility Type And Quantity:
4 threaded stud
Scale Graduation Type:
Linear single indicator all ranges
Mounting Stud Diameter:
0.112 inches
Features Provided:
Mirror scale and zero adjuster
Movement Suspension Method:
Jewel pivot base
Circuit Attachment Method And Quantity:
2 threaded stud
Special Features:
700 ohms resistance
Special Markings:
155 and .155 w/line to scale; 90 hz left end; 150 hz right end
Material:
Plastic
Nuclear Hardness Critical Feature:
Nonhardened
Special Test Features:
Meets mil-t-21200, mil-t-945 and usa standard c-39.1 environmental requirements
Style Designator:
Rectangular flush mtg
Fsc Application Data:
Test set, elect. Equip.
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A310a0