NSN 6625-01-102-3834

Special Scale Meter - Page 1 of 2

Circuit Current For Which Designed:

2 threaded stud



View Online at https://aerobasegroup.com/nsn/6625-01-102-3834

Dc
Overall Length:
3.500 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
3.380 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
3.380 inches
Overall Height:
4.422 inches
Overall Width:
4.422 inches
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Mounting Arrangement Style:
Four hole/stud rectangular/square
Dial Scale Marking Color:
White single indicator single range
Accuracy In Percent:
-2.0/+2.0 at full scale single indicator single range
Meter Depth Behind Mounting Flange:
2.813 inches
Meter Body Diameter Behind Mounting Flange:
3.960 inches
Movement Type:
Moving iron vane
Background Color:
Black single indicator single range
Pointer Color:
White single indicator single range
Mounting Facility Type And Quantity:
4 unthreaded hole
Features Provided:
Zero adjuster
Criticality Code Justification:
Feat
Movement Suspension Method:
Jewel pivot base
Circuit Attachment Method And Quantity:

NSN 6625-01-102-3834

Special Scale Meter - Page 2 of 2



S	pe	cia	al F	-ea	ıtu	re	S
---	----	-----	------	-----	-----	----	---

Item must comply with requirements of desc production standard no. L02952; for navy nuclear propulsion plant products only

Nuclear Hardness Critical Feature:

Nonhardened

Style Designator:

Rectangular flush mtg

Fsc Application Data:

Test set, elect. Equip.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A310a0