NSN 6625-01-102-6720

Electrical Frequency Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-01-102-6720

Circuit Current For Which Designed:
Ac
Overall Length:
2.902 inches
Scale Division Quantity:
28 single indicator single range
Overall Diameter:
3.811 inches
Furnished Items And Quantity:
Nut 4; washer 4
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Dial Scale Marking Color:
White single indicator single range
Accuracy In Percent:
-2.0/+2.0 at full scale single indicator single range
Meter Depth Behind Mounting Flange:
1.262 inches
Meter Body Diameter Behind Mounting Flange:
gg.
3.350 inches
3.350 inches
3.350 inches Movement Type:
3.350 inches Movement Type: Moving iron vane
3.350 inches Movement Type: Moving iron vane Background Color:
3.350 inches Movement Type: Moving iron vane Background Color: Black single indicator single range
3.350 inches Movement Type: Moving iron vane Background Color: Black single indicator single range Pointer Color:
3.350 inches Movement Type: Moving iron vane Background Color: Black single indicator single range Pointer Color: White single indicator single range
3.350 inches Movement Type: Moving iron vane Background Color: Black single indicator single range Pointer Color: White single indicator single range Power Source:
3.350 inches Movement Type: Moving iron vane Background Color: Black single indicator single range Pointer Color: White single indicator single range Power Source: External
3.350 inches Movement Type: Moving iron vane Background Color: Black single indicator single range Pointer Color: White single indicator single range Power Source: External Mounting Facility Type And Quantity:
3.350 inches Movement Type: Moving iron vane Background Color: Black single indicator single range Pointer Color: White single indicator single range Power Source: External Mounting Facility Type And Quantity: 1 clamp
3.350 inches Movement Type: Moving iron vane Background Color: Black single indicator single range Pointer Color: White single indicator single range Power Source: External Mounting Facility Type And Quantity: 1 clamp Scale Graduation Type:
3.350 inches Movement Type: Moving iron vane Background Color: Black single indicator single range Pointer Color: White single indicator single range Power Source: External Mounting Facility Type And Quantity: 1 clamp Scale Graduation Type: Linear single indicator single range
3.350 inches Movement Type: Moving iron vane Background Color: Black single indicator single range Pointer Color: White single indicator single range Power Source: External Mounting Facility Type And Quantity: 1 clamp Scale Graduation Type: Linear single indicator single range Measurement Range:
3.350 inches Movement Type: Moving iron vane Background Color: Black single indicator single range Pointer Color: White single indicator single range Power Source: External Mounting Facility Type And Quantity: 1 clamp Scale Graduation Type: Linear single indicator single range Measurement Range: +1100.0/+2500.0 volts per meter single indicator single range
Movement Type: Moving iron vane Background Color: Black single indicator single range Pointer Color: White single indicator single range Power Source: External Mounting Facility Type And Quantity: 1 clamp Scale Graduation Type: Linear single indicator single range Measurement Range: +1100.0/+2500.0 volts per meter single indicator single range Features Provided:

2 threaded stud

Circuit Attachment Method And Quantity:

NSN 6625-01-102-6720

Electrical Frequency Meter - Page 2 of 2



Material:
Steel
Nuclear Hardness Critical Feature:
Nonhardened
Style Designator:
Round flush mtg
Fsc Application Data:
Test set, elect. Equip.
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A310a0