## NSN 6625-01-102-8660

Ammeter - Page 1 of 2

**Movement Type:**Moving iron vane



View Online at https://aerobasegroup.com/nsn/6625-01-102-8660

Circuit Current For Which Designed
Circuit Current For Which Designed:
Dc Distance With standing Vallage In Vallage
Dielectric Withstanding Voltage In Volts:
3000.0
Overall Length:
1.625 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.318 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.318 inches
Overall Height:
1.810 inches
Overall Width:
1.810 inches
Mounting Hole Diameter:
0.117 inches
Scale Division Quantity:
20 single indicator 2nd range
Environmental Protection:
Airtight and dust resistant and fungus resistant and heat resistant and humidity resistant and shock resistant and vibration resistant and
water resistant
Furnished Items And Quantity:
Nut 6; lockwasher 4; flat washer 2; seal 1; shunt 1
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Mounting Arrangement Style:
Four hole/stud rectangular/square
Sensitivity Rating:
100.0 microamperes
Dial Scale Marking Color:
Black single indicator all ranges
Accuracy In Percent:
-3.0/+3.0 at full scale single indicator all ranges
Unable To Decode:
Unable to decode or unable to decode
Meter Depth Behind Mounting Flange:
1.000 inches
Meter Body Diameter Behind Mounting Flange:
1.510 inches

## NSN 6625-01-102-8660

Ammeter - Page 2 of 2



Background Color:
White single indicator all ranges
Pointer Color:
Black single indicator all ranges
Power Source:
External
Mounting Facility Type And Quantity:
4 screw and 4 unthreaded hole
Scale Graduation Type:
Linear single indicator all ranges
Measurement Range:
+0.0/+3.0 microamperes, dc single indicator 1st range
Scale Selection Method:
Terminal
Features Provided:
Magnetic shield and zero adjuster
Movement Suspension Method:
Jewel pivot base
Circuit Attachment Method And Quantity:
2 solder lug and 2 threaded stud
Special Features:
Ruggedized
Special Markings:
On back, sealed do not open
Material:
Steel
Nuclear Hardness Critical Feature:
Nonhardened
Surface Treatment:
Enamel semigloss
Style Designator:
Rectangular flush mtg
Fsc Application Data:
Test set, elect. Equip.
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A310a0