

View Online at <https://aerobasegroup.com/nsn/6625-01-109-6971>

Circuit Current For Which Designed:

Dc

Overall Length:

4.500 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.375 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.375 inches

Overall Height:

4.422 inches

Overall Width:

4.422 inches

End Application:

Main propulsion control console onboard 140 ft wtgb class coast guard vessels

Indicator Type:

Dial w/pointer

Installation Design:

Panel

Mounting Arrangement Style:

Four hole/stud rectangular/square

Dial Scale Marking Color:

Black single indicator single range

Accuracy In Percent:

-1.0/+1.0 at full scale single indicator all ranges

Movement Type:

Moving coil, permanent magnet

Background Color:

White single indicator single range

Pointer Color:

Black single indicator single range

Mounting Facility Type And Quantity:

4 threaded stud

Scale Graduation Type:

Nonlinear single indicator single range

Measurement Range:

-400.0/+400.0 volts single indicator single range

Mounting Stud Diameter:

0.250 inches

Features Provided:

Zero adjuster

Circuit Attachment Method And Quantity:

3 threaded stud

Operating Voltage Rating In Volts:

400.0 dc

Material:

Plastic phenolic

Nuclear Hardness Critical Feature:

Nonhardened

Style Designator:

Rectangular or square

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A310a0