

View Online at <https://aerobasegroup.com/nsn/6625-01-118-1682>

**Circuit Current For Which Designed:**

Dc

**Overall Length:**

1.355 inches

**Overall Height:**

1.640 inches

**Overall Width:**

1.980 inches

**Environmental Protection:**

Shock resistant and vibration resistant and water resistant

**Indicator Type:**

Dial w/pointer

**Installation Design:**

Panel

**Sensitivity Rating:**

200.0 microamperes

**Dial Scale Marking Color:**

Black single indicator 2nd range

**Accuracy In Percent:**

-2.0/+2.0 at full scale single indicator all ranges

**Meter Depth Behind Mounting Flange:**

0.820 inches

**Meter Body Diameter Behind Mounting Flange:**

0.775 inches

**Movement Type:**

Moving iron vane

**Background Color:**

White single indicator all ranges

**Pointer Color:**

Black single indicator all ranges

**Scale Marking:**

First range -20; -10; -7; -5; -3; -2; -1; 0; +1; +2; +3; second range 0; 20; 40; 60; 80; 100

**Scale Graduation Type:**

Nonlinear single indicator all ranges

**Features Provided:**

Knife edge pointer and zero adjuster

**Movement Suspension Method:**

Jewel pivot base

**Circuit Attachment Method And Quantity:**

2 solder lug

**Special Features:**

Ruggedized

**Material:**

Plastic

**Nuclear Hardness Critical Feature:**

Nonhardened

**Special Test Features:**

Meets requirements of ansi c39.1

**Style Designator:**

Fan shape flush mtg

**Supplementary Features:**

Int res 730 ohms

**Fsc Application Data:**

Test set, elect. Equip.

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A310a0