

View Online at <https://aerobasegroup.com/nsn/6625-01-120-6522>

Overall Length:

16.800 inches

Overall Height:

5.200 inches

Overall Width:

16.600 inches

Operating Temperature Range:

+0.0/+50.0 degrees celsius

Average Life Measurement:

Not rated

Basic Shape Style:

Rectangular or square

Inclosure Type:

Encased

Operating Control Method:

Manual

Installation Design:

Rack

Control Type:

Local

Circuit Construction Type:

Solid state

Frequency Per Channel:

0.001 hertz operating channel and 50.000 megahertz operating channel

Impedance Rating Per Channel:

50.000 ohms operating channel

Pulse Duration Per Channel:

5.000 nanoseconds operating channel and 7.000 nanoseconds operating channel

Pulse Peak Amplitude Per Channel:

20.000 volts operating channel

Signal Data Type Per Channel:

Operating channel radio frequency err-100

Output Wave Shape:

Sine and square and isosceles triangular and pulse, gate and pulse, trigger

Indicator Device Type And Quantity:

Digital readout

Connection Type And Location:

Receptacle, coaxial front

Connection Contact Type And Quantity:

3 receptacle, coaxial external

Functional Classification:

Bb-1.2

Special Features:

Option 002 is am and logarithmic sweep; opt 908: rack mount flange kit, p/n 5061-9677; includes battery back-up and digital frequency and offset indicators

Functional Description:

Programmable signal source

Entry Date:

92-08-06

Reference Data And Literature:

1990 hp catalog

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A32200