

View Online at <https://aerobasegroup.com/nsn/6625-01-136-2418>

Circuit Current For Which Designed:

Ac

Overall Length:

5.688 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.375 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.375 inches

Overall Height:

4.500 inches

Overall Width:

4.500 inches

Scale Division Quantity:

30 single indicator single range

Frequency Rating:

60.0 hertz

Indicator Type:

Dial w/pointer

Installation Design:

Panel

Mounting Arrangement Style:

Four hole/stud rectangular/square

Dial Scale Marking Color:

Black single indicator single range

Accuracy In Percent:

-1.000/+1.000 at full scale single indicator all ranges

Meter Depth Behind Mounting Flange:

5.063 inches

Meter Body Diameter Behind Mounting Flange:

3.969 inches

Background Color:

White single indicator single range

Pointer Color:

Black single indicator single range

Mounting Facility Type And Quantity:

4 threaded stud

Scale Graduation Type:

Linear single indicator single range

Measurement Range:

+0.0/+120.0 power factor single indicator single range

Circuit Attachment Method And Quantity:

2 threaded stud

Phase:

Three

Nuclear Hardness Critical Feature:

Nonhardened

Style Designator:

Rectangular flush mtg

Fsc Application Data:

Test set, electronic equipment

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A310a0