NSN 6625-01-138-5376

Ammeter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-01-138-5376

| Circuit Current For Which Designed: |
|--|
| Dc |
| Overall Length: |
| 1.382 inches |
| Overall Height: |
| 2.252 inches |
| Overall Width: |
| 2.252 inches |
| Indicator Type: |
| Dial w/pointer |
| Installation Design: |
| Panel |
| Dial Scale Marking Color: |
| Black single indicator single range |
| Accuracy In Percent: |
| -2.0/+2.0 at full scale single indicator single range |
| Meter Depth Behind Mounting Flange: |
| 0.570 inches |
| Meter Body Diameter Behind Mounting Flange: |
| 2.000 inches |
| Movement Type: |
| Moving coil, permanent magnet |
| Background Color: |
| White single indicator single range |
| Pointer Color: |
| |
| Black single indicator single range |
| Black single indicator single range Power Source: |
| |
| Power Source: |
| Power Source: External |
| Power Source: External Scale Graduation Type: |
| Power Source: External Scale Graduation Type: Nonlinear single indicator single range |
| Power Source: External Scale Graduation Type: Nonlinear single indicator single range Measurement Range: |
| Power Source: External Scale Graduation Type: Nonlinear single indicator single range Measurement Range: +0.0/+20.0 amperes, dc single indicator single range |
| Power Source: External Scale Graduation Type: Nonlinear single indicator single range Measurement Range: +0.0/+20.0 amperes, dc single indicator single range Features Provided: |
| Power Source: External Scale Graduation Type: Nonlinear single indicator single range Measurement Range: +0.0/+20.0 amperes, dc single indicator single range Features Provided: Zero adjuster |
| Power Source: External Scale Graduation Type: Nonlinear single indicator single range Measurement Range: +0.0/+20.0 amperes, dc single indicator single range Features Provided: Zero adjuster Movement Suspension Method: |
| Power Source: External Scale Graduation Type: Nonlinear single indicator single range Measurement Range: +0.0/+20.0 amperes, dc single indicator single range Features Provided: Zero adjuster Movement Suspension Method: Jewel pivot base |
| Power Source: External Scale Graduation Type: Nonlinear single indicator single range Measurement Range: +0.0/+20.0 amperes, dc single indicator single range Features Provided: Zero adjuster Movement Suspension Method: Jewel pivot base Circuit Attachment Method And Quantity: |

Nonhardened

Nuclear Hardness Critical Feature:

NSN 6625-01-138-5376

Ammeter - Page 2 of 2



| Desig | |
|-------|--|
| | |

Rectangular flush mtg

Fsc Application Data:

Test set, elect. Equip.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A310a0