NSN 6625-01-140-7067

Pulse Generator - Page 1 of 2

10.000 volts output channel



View Online at https://aerobasegroup.com/nsn/6625-01-140-7067

Overall Length:
16.800 inches
Overall Height:
5.200 inches
Overall Width:
16.600 inches
Individual Section Quantity:
1
Operating Tempurature Range:
+0.0/+55.0 degrees celsius
Average Life Measurement:
Not rated
Basic Shape Style:
Rectangular or square
Identification Designator:
214b001-28480
Inclosure Type:
Encased
Operating Control Method:
Automatic or manual
Installation Design:
Top of cabinet/counter
Control Type:
Local or remote
Circuit Construction Type:
Solid state
Frequency Adjustment Type:
Continuous
Signal Voltage Rating Per Channel:
100.000 volts any acceptable preset
Impedance Rating Per Channel:
50.000 ohms output channel
Pulse Duration Per Channel:
25.000000 nanoseconds output channel and 0.000010 nanoseconds output channel
Pulse Rise Time Per Channel:
15.000 nanoseconds output channel
Pulse Decay Time Per Channel:
15.000 nanoseconds output channel
Pulse Repetition Rate Per Channel:
10.000 megapulses per second output channel
Pulse Peak Amplitude Per Channel:

NSN 6625-01-140-7067

Pulse Generator - Page 2 of 2



Signal Data Type Per Channel:
Output channel pulse
Calibrated Tolerance In Percent:
-15.0/+15.0
Output Wave Shape:
Pulse, variable width
Indicator Device Type And Quantity:
1 meter
Operating Ac Frequency In Hertz:
48.0 single voltage and 66.0 single voltage
Calibration Function:
Pulse duration and pulse repetition
External Ac Operating Voltage In Volts:
100.0 single voltage and 240.0 single voltage
Special Features:
Option 001 is counted burst
Shelf Life:
N/a
IN/a
Unit Of Measure:
Unit Of Measure:
Unit Of Measure: Demilitarization:
Unit Of Measure: Demilitarization: