

View Online at <https://aerobasegroup.com/nsn/6625-01-151-5347>

Circuit Current For Which Designed:

Dc

Overall Length:

2.500 inches

Overall Height:

2.562 inches

Overall Width:

3.939 inches

Scale Division Quantity:

80 single indicator all ranges

Mounting Stud Length:

0.625 inches

Distance Between Mounting Facility Centers:

3.000 inches

Indicator Type:

Dial w/pointer

Installation Design:

Panel

Mounting Arrangement Style:

Two hole/stud

Sensitivity Rating:

1.0 milliamperes

Dial Scale Marking Color:

Black single indicator all ranges

Accuracy In Percent:

-2.0/+2.0 at full scale single indicator all ranges

Meter Depth Behind Mounting Flange:

1.311 inches

Meter Body Diameter Behind Mounting Flange:

2.125 inches

Movement Type:

Moving coil, permanent magnet

Background Color:

White single indicator all ranges

Pointer Color:

Red single indicator all ranges

Power Source:

External

Mounting Facility Type And Quantity:

2 threaded stud

Scale Graduation Type:

Nonlinear single indicator all ranges

Measurement Range:

+0.0/+30.0 volts, dc single indicator 1st range

Mounting Stud Diameter:

0.125 inches

Circuit Attachment Method And Quantity:

2 threaded stud

Special Markings:

Rf drive level; normal ac line reading from 25 to 28 first range; 86 to 96 second range

Material:

Plastic

Nuclear Hardness Critical Feature:

Nonhardened

Style Designator:

Rectangular flush mtg

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A310a0