## NSN 6625-01-153-0376

Special Scale Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-01-153-0376

| Circuit Current For Which Designed:                                       |
|---|
| Dc  |
| Dielectric Withstanding Voltage In Volts:                                 |
| 10.0  |
| Overall Length:   |
| 4.000 inches  |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 3.438 inches  |
| Center To Center Distance Between Mounting Facilities Parallel To Width:  |
| 3.438 inches  |
| Overall Height:   |
| 4.375 inches  |
| Overall Width:  |
| 4.375 inches  |
| Scale Division Quantity:  |
| 10 single indicator single range  |
| Mounting Stud Length:   |
| 0.609 inches  |
| Indicator Type:   |
| Dial w/pointer  |
| Installation Design:  |
| Panel   |
| Mounting Arrangement Style:   |
| Four hole/stud rectangular/square   |
| Dial Scale Marking Color:   |
| Black single indicator single range                                       |
| Accuracy In Percent:  |
| -1.0/+1.0 at full scale single indicator single range                     |
| Meter Depth Behind Mounting Flange:                                       |
| 3.375 inches  |
| Meter Body Diameter Behind Mounting Flange:                               |
| 3.906 inches  |
| Background Color:   |
| White single indicator single range                                       |
| Pointer Color:  |
| Black single indicator single range                                       |
| Scale Marking:  |
| 0 to 300 rpm  |
| Mounting Facility Type And Quantity:                                      |
| 4 bushing   |
| Scale Graduation Type:  |
| Linear single indicator single range                                      |
|   |

## NSN 6625-01-153-0376

Special Scale Meter - Page 2 of 2



Mounting Stud Diameter: 0.188 inches **Circuit Attachment Method And Quantity:** 2 threaded stud **Nuclear Hardness Critical Feature:** Nonhardened Style Designator: Round flush mtg w/4 tabs Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A310a0