NSN 6625-01-158-3600

Oscilloscope - Page 1 of 2

Overall Length: 375.0 millimeters Overall Height: 160.0 millimeters Overall Width:



View Online at https://aerobasegroup.com/nsn/6625-01-158-3600

| 290.0 millimeters |
|---|
| Current Type: |
| Ac and dc |
| Frequency Rating: |
| 60.0 hertz |
| End Application: |
| Gen-ap-t |
| Accessory Components And Quantity: |
| Face cover 1; low-capacitance probe 2 |
| Voltage Rating: |
| Between 100.0 volts and 240.0 volts |
| Beam Quantity: |
| 1 |
| Graduation Interval: |
| Graduated lots per div on both axis |
| Sweep Circuits: |
| Included |
| Generator Driven Feature: |
| Not included |
| Sweep Circuit Type: |
| Horizontal |
| Sweep Frequency Range: |
| +0.0/+35.0 megahertz |
| Single Trigger Sweep Duration: |
| 0.2 microseconds and 0.2 seconds |
| Trigger Sweep Polarity Switch: |
| Included |
| Input Intensity Modulation Feature: |
| Provided |
| Visual Modulation Sensitivity Voltage Rating: |
| 5.0 megavolts and 5.0 volts |
| Frequency Response Rating: |
| Provided |
| Amplifier Input Impedance Rating Provision: |
| Provided |
| Calibrated Screen Scale: |
| Included |
| |
| |

NSN 6625-01-158-3600

Oscilloscope - Page 2 of 2



| Camera | Recording | Device | Accommodation: |
|--------|-----------|---------------|----------------|
|--------|-----------|---------------|----------------|

Not provided

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

T320-g