## NSN 6625-01-166-5398



٧.	Similater 1 age 1 of 2	arvup
Vie	ew Online at https://aerobasegroup.com/nsn/6625-01-166-5398	
Cir	rcuit Current For Which Designed:	
Ac		
Ov	verall Length:	
2.8	350 inches	
Sc	ale Division Quantity:	
30	single indicator single range	
Ov	verall Diameter:	
3.5	510 inches	
Mo	ounting Bolt Circle Diameter:	
3.1	160 inches	
Fu	rnished Items And Quantity:	
Те	rm. Hardware	
Inc	dicator Type:	
Dia	al w/pointer	
Ins	stallation Design:	
Pa	inel	
Mc	ounting Arrangement Style:	
Th	ree hole/stud bolt circle	
Dia	al Scale Marking Color:	
Bla	ack single indicator single range	
Ac	ccuracy In Percent:	
-2.	0/+2.0 at full scale single indicator single range	
Me	eter Depth Behind Mounting Flange:	
1.6	660 inches	
Me	eter Body Diameter Behind Mounting Flange:	
2.8	300 inches	
Мс	ovement Type:	
	oving iron vane	
Ро	sinter Color:	
DI-	ack single indicator single range	

Black single indicator single range

**Scale Graduation Type:** 

Linear single indicator single range

Measurement Range:

+0.0/+300.0 volts, ac single indicator single range

**Scale Selection Method:** 

Terminal

**Movement Suspension Method:** 

Taut band

**Circuit Attachment Method And Quantity:** 

2 threaded stud and 2 solder lug

**Special Markings:** 

Green band from 105 v to 127 v and from 207 v to 255 v

## NSN 6625-01-166-5398

Voltmeter - Page 2 of 2



Nuclear Hardness Critical Feature:	
Nonhardened	
Style Designator:	
Round flush mtg	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	

**Fiig:** A310a0