

View Online at <https://aerobasegroup.com/nsn/6625-01-166-7238>

Circuit Current For Which Designed:

Ac

Overall Length:

19.600 inches

Overall Height:

7.000 inches

Overall Width:

16.750 inches

Frequency Rating:

Between 48.0 hertz and 66.0 hertz

End Application:

Elec. Test equip

Furnished Items And Quantity:

Low ground probe kit which contains a probe, spare pins, clips, bnc adapter, component mounting adapter, probe socket, and accessory case

Indicator Type:

Digital display

Installation Design:

Bench

Background Color:

Black single indicator single range

Display Type:

Light emitting diode

Display Digit Quantity:

3-1/2

Measurement Range:

+400.0/+110000.0 kilohertz single indicator single range

Scale Selection Method:

Switch

Accuracy Rating:

3.0 pct of reading single indicator single range

Circuit Attachment Method And Quantity:

1 plug and 1 test prod

Operating Voltage Rating In Volts:

100.0 ac and 120.0 ac and 220.0 ac and 240.0 ac

Special Features:

Impedance measurement range: 10.0 megohms to 120.0 kilohms; phase measurement range: plus 180.0 degrees to minus 180.0 deg

Functional Description:

Measures spot or swept frequency; measure impedance magnitude and phase; test components in-circuit and out-of-circuit; standard hp-ib and analog outputs

Style Designator:

D1 rectangular or square

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A310a0