

View Online at <https://aerobasegroup.com/nsn/6625-01-170-4880>

Circuit Current For Which Designed:

Dc

Overall Length:

7.500 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

6.062 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.750 inches

Overall Height:

6.625 inches

Overall Width:

1.500 inches

Scale Division Quantity:

20 single indicator single range

Mounting Stud Length:

0.500 inches

Indicator Type:

Dial w/pointer

Installation Design:

Panel

Mounting Arrangement Style:

Four hole/stud rectangular/square

Dial Scale Marking Color:

Black single indicator single range

Accuracy In Percent:

-2.0/+2.0 at full scale single indicator single range

Meter Depth Behind Mounting Flange:

5.703 inches

Meter Body Width Behind Mounting Flange:

1.125 inches

Background Color:

White single indicator single range

Pointer Color:

Black single indicator single range

Power Source:

External

Mounting Facility Type And Quantity:

4 threaded stud

Scale Graduation Type:

Linear single indicator single range

Measurement Range:

-10.0/+10.0 volts, dc single indicator single range

Mounting Stud Diameter:

0.187 inches

Scale Selection Method:

Terminal

Meter Body Height Behind Mounting Flange:

4.812 inches

Circuit Attachment Method And Quantity:

2 threaded stud

Special Features:

Left hand movement

Nuclear Hardness Critical Feature:

Nonhardened

Style Designator:

Rectangular semi-flush mtg

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A310a0