## NSN 6625-01-171-5492

Arbitrary Scale Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-01-171-5492

Circuit Current For Which Designed:
Dc Dielectrie Withstending Veltage In Veltag
Dielectric Withstanding Voltage In Volts: 3000.0
2.650 inches
Mounting Hole Diameter: Between 0.120 inches and 0.130 inches
Scale Division Quantity:
2 single indicator single range Overall Diameter:
2.695 inches
Environmental Protection:
Cold resistant and corrosion resistant and dust resistant and heat resistant and shock resistant and vibration resistant and watertight
Mounting Bolt Circle Diameter:
2.440 inches
Furnished Items And Quantity:
Nut 7; washer 5
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Mounting Arrangement Style:
Three hole/stud bolt circle
Sensitivity Rating:
1.0 milliamperes
Dial Scale Marking Color:
Black single indicator single range and green single indicator single range
Accuracy In Percent:
-2.0/+2.0 at full scale single indicator single range
Unable To Decode:
Unable to decode or unable to decode
Meter Depth Behind Mounting Flange:
1.600 inches
Meter Body Diameter Behind Mounting Flange:
2.210 inches
Movement Type:
Moving coil, permanent magnet
Background Color:
White single indicator single range
Pointer Color:

Black single indicator single range

## NSN 6625-01-171-5492

Arbitrary Scale Meter - Page 2 of 2



Scale Marking: Center line mark only Mounting Facility Type And Quantity: 3 screw and 3 unthreaded hole Scale Graduation Type: Linear single indicator single range **Features Provided:** Zero adjuster **Movement Suspension Method:** Jewel pivot base **Circuit Attachment Method And Quantity:** 2 solder lug and 2 threaded stud **Special Markings:** Sign on rear of case Material: Steel **Nuclear Hardness Critical Feature:** Nonhardened Surface Treatment: Paint **Special Test Features:** Conforms to mil-m-10304 type mr26w001dcmar Style Designator: Round flush mtg **Fsc Application Data:** Test set, electronic equipment Shelf Life: N/a Unit Of Measure: --**Demilitarization:** No Fiig: A310a0