

View Online at <https://aerobasegroup.com/nsn/6625-01-172-9390>

Vibration Resistance Range In Hertz:

Not rated

Shock Resistance Rating In Gravitational Units:

Not rated

Operating Temperature Range:

Not rated

Average Life Measurement:

Not rated

Basic Shape Style:

Rectangular or square

Identification Designator:

83540a-002-28480

Maximum Operating Altitude Rating:

Not rated

Inclosure Type:

Encased

Installation Design:

Module

Circuit Construction Type:

Solid state

Frequency Per Channel:

2.0 gigahertz output channel and 8.4 gigahertz output channel

Frequency Adjustment Type:

Continuous

Attenuation In Decibels:

70.0

Average Power Rating Per Channel:

32.0 milliwatts output

Signal Voltage Rating Per Channel:

Not rated

Overall Gain:

Not rated

Impedance Rating Per Channel:

50.000 ohms output channel

Pulse Peak Amplitude Per Channel:

Not rated

Signal Data Type Per Channel:

Output channel radio frequency err-100

Maximum Continuous Operating Time In Hours:

Not rated

Connection Type And Location:

Receptacle, coaxial front

Connection Contact Type And Quantity:

2 receptacle, coaxial external

Special Features:

Contains 70 decibel step attenuator

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A32200