

View Online at <https://aerobasegroup.com/nsn/6625-01-180-5472>

Circuit Current For Which Designed:

Ac

Overall Length:

2.884 inches

Mounting Hole Diameter:

0.147 inches

Overall Diameter:

3.500 inches

Environmental Protection:

Hermetic

Mounting Bolt Circle Diameter:

3.160 inches

Furnished Items And Quantity:

Gasket seal 1

Indicator Type:

Vibrating reed

Installation Design:

Panel

Register Quantity:

1

Mounting Arrangement Style:

Three hole/stud bolt circle

Resonant Reed Quantity:

11

Meter Depth Behind Mounting Flange:

2.000 inches

Meter Body Diameter Behind Mounting Flange:

2.750 inches

Movement Type:

Vibrating reed

Background Color:

Black single indicator single range

Power Source:

External

Mounting Facility Type And Quantity:

3 screw and 3 unthreaded hole

Measurement Range:

+395.0/+405.0 hertz single indicator single range

Circuit Attachment Method And Quantity:

2 solder lug

Operating Voltage Rating In Volts:

Between 100.0 ac and 130.0 ac

Special Features:

Porcelain covered terminals

Material:

Aluminum and steel

Nuclear Hardness Critical Feature:

Nonhardened

Surface Treatment:

Cadmium and paint

Style Designator:

Round flush mtg

Fsc Application Data:

Test set, elect. Equip.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A310a0