

View Online at <https://aerobasegroup.com/nsn/6625-01-188-4257>

Circuit Current For Which Designed:

Dc

Dielectric Withstanding Voltage In Volts:

500.0

Overall Length:

2.646 inches

Overall Height:

0.515 inches

Overall Width:

1.600 inches

Indicator Type:

Dial w/pointer

Installation Design:

Panel

Dial Scale Marking Color:

Black single indicator single range

Accuracy In Percent:

-2.5/+2.5 at full scale single indicator single range

Unable To Decode:

Unable to decode or unable to decode

Movement Type:

Moving coil, permanent magnet

Background Color:

White single indicator single range

Pointer Color:

Red single indicator single range

Power Source:

External

Mounting Facility Type And Quantity:

1 bracket and 2 screw

Scale Graduation Type:

Nonlinear single indicator single range

Measurement Range:

-9.0/+13.0 decibels above or below one milliwatt single indicator single range

Scale Selection Method:

Terminal

Features Provided:

Magnetic shield and zero adjuster

Movement Suspension Method:

Jewel pivot base

Circuit Attachment Method And Quantity:

2 solder stud

Special Features:

Vertical mount

Special Markings:

50 ohm zero

Material:

Steel

Nuclear Hardness Critical Feature:

Nonhardened

Style Designator:

Rectangular surface mtg

Supplementary Features:

50 ohms resistance

Fsc Application Data:

Test set, elect. Equip.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A310a0