

View Online at <https://aerobasegroup.com/nsn/6625-01-204-3293>

**Circuit Current For Which Designed:**

Dc

**Overall Length:**

3.650 inches

**Overall Height:**

Between 1.159 inches and 1.171 inches

**Overall Width:**

Between 4.369 inches and 4.381 inches

**Mounting Hole Diameter:**

Between 0.126 inches and 0.131 inches

**Environmental Protection:**

Shock resistant and vibration resistant

**Distance Between Mounting Facility Centers:**

4.062 inches

**Furnished Items And Quantity:**

Nut 6

**Indicator Type:**

Dial w/pointer

**Installation Design:**

Panel

**Mounting Arrangement Style:**

Two hole/stud

**Dial Scale Marking Color:**

Black single indicator single range and green single indicator single range and red single indicator single range and yellow single indicator single range

**Accuracy In Percent:**

-0.5/+0.5 at full scale single indicator single range

**Meter Depth Behind Mounting Flange:**

3.150 inches

**Meter Body Width Behind Mounting Flange:**

3.750 inches

**Movement Type:**

Moving coil, permanent magnet

**Background Color:**

White single indicator single range

**Pointer Color:**

Black single indicator single range

**Power Source:**

External

**Mounting Facility Type And Quantity:**

4 unthreaded hole

**Scale Graduation Type:**

Nonlinear single indicator single range

**Measurement Range:**

-10.0/+10.0 volts, dc single indicator single range

**Meter Body Height Behind Mounting Flange:**

0.560 inches

**Movement Suspension Method:**

Jewel pivot base

**Circuit Attachment Method And Quantity:**

6 threaded stud

**Special Features:**

Ruggedized

**Special Markings:**

Left; right

**Material:**

Plastic

**Nuclear Hardness Critical Feature:**

Nonhardened

**Style Designator:**

Rectangular flush mtg

**Fsc Application Data:**

Test set, elect. Equip.

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A310a0