

View Online at <https://aerobasegroup.com/nsn/6625-01-206-4574>

Circuit Current For Which Designed:

Dc

Overall Length:

0.790 inches

Overall Height:

1.590 inches

Overall Width:

1.510 inches

Mounting Hole Diameter:

0.125 inches

Scale Division Quantity:

7 single indicator single range

Distance Between Mounting Facility Centers:

1.200 inches

Furnished Items And Quantity:

Screws 2; lock washers 2; hex nuts 2

Indicator Type:

Dial w/pointer

Installation Design:

Panel

Mounting Arrangement Style:

Two hole/stud

Dial Scale Marking Color:

White single indicator single range

Accuracy In Percent:

-5.0/+5.0 at full scale single indicator single range

Meter Depth Behind Mounting Flange:

0.500 inches

Meter Body Width Behind Mounting Flange:

0.900 inches

Movement Type:

Moving magnet

Background Color:

Black single indicator single range

Pointer Color:

White single indicator single range

Power Source:

External

Mounting Facility Type And Quantity:

2 unthreaded hole

Scale Graduation Type:

Linear single indicator single range

Measurement Range:

+0.0/+1.0 milliamperes, dc single indicator single range

Scale Selection Method:

Terminal

Meter Body Height Behind Mounting Flange:

0.630 inches

Movement Suspension Method:

Jewel pivot base

Circuit Attachment Method And Quantity:

2 quick disconnect, male

Material:

Plastic

Nuclear Hardness Critical Feature:

Nonhardened

Style Designator:

Rectangular flush mtg

Fsc Application Data:

Test set, elect. Equip.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

FiiG:

A310a0