NSN 6625-01-216-2440

Voltmeter - Page 1 of 2

Circuit Current For Which Designed:



View Online at https://aerobasegroup.com/nsn/6625-01-216-2440

DC
Overall Length:
3.500 inches
Overall Height:
1.000 inches
Overall Width:
3.250 inches
Scale Division Quantity:
50 single indicator single range
Mounting Stud Length:
0.530 inches
Distance Between Mounting Facility Centers:
2.938 inches
Barrel Width:
1.690 inches
Furnished Items And Quantity:
Lock washers 2; hex nuts 2
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Mounting Arrangement Style:
Two hole/stud
Dial Scale Marking Color:
Black single indicator single range
Accuracy In Percent:
-2.0 to 2.0 at full scale single indicator single range
Meter Depth Behind Mounting Flange:
1.950 inches
Meter Body Width Behind Mounting Flange:
2.630 inches
Movement Type:
Moving coil, permanent magnet
Background Color:
White single indicator single range
Pointer Color:
Black single indicator single range
Power Source:
External
Mounting Facility Type And Quantity:
2 threaded stud

NSN 6625-01-216-2440

Voltmeter - Page 2 of 2



Scale Graduation Type:
Linear single indicator single range
Measurement Range:
+0.0 to 10.0 volts, dc single indicator single range
Mounting Stud Diameter:
0.125 inches
Meter Body Height Behind Mounting Flange:
1.220 inches
Meter Barrel Depth:
1.880 inches
Features Provided:
Magnetic shield
Movement Suspension Method:
Jewel pivot base
Circuit Attachment Method And Quantity:
2 solder lug
Material:
Plastic
Nuclear Hardness Critical Feature:
Nonhardened
Style Designator:
Rectangular flush mtg barrel, down
Fsc Application Data:
Test set, elect. Equip.
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A310a0