NSN 6625-01-223-3106

Ammeter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-01-223-3106

view Offilite at https://derobasegroup.com/hsh/oo25-o
Circuit Current For Which Designed:
Dc
Dielectric Withstanding Voltage In Volts:
1500.0
Overall Length:
Between 2.655 inches and 2.745 inches
Overall Height:
0.488 inches
Overall Width:
1.810 inches
Mounting Hole Diameter:
0.120 inches
Scale Division Quantity:
20 single indicator single range
Distance Between Mounting Facility Centers:
1.250 inches
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Mounting Arrangement Style:
Two hole/stud
Dial Scale Marking Color:
Black single indicator single range
Accuracy In Percent:
-2.0 to 2.0 at full scale single indicator single range
Unable To Decode:
Unable to decode or unable to decode
Meter Depth Behind Mounting Flange:
Between 2.360 inches and 2.420 inches
Meter Body Width Behind Mounting Flange:
Between 1.600 inches and 1.630 inches
Movement Type:
Moving coil, permanent magnet
Background Color:
White single indicator single range
Pointer Color:
Red single indicator single range
Power Source:
External
Mounting Facility Type And Quantity:

2 unthreaded hole

NSN 6625-01-223-3106

Ammeter - Page 2 of 2

Fiig: A310a0



Scale Graduation Type:
Linear single indicator single range
Measurement Range:
-50.0 to 50.0 microamperes, $$ dc single indicator single range
Meter Body Height Behind Mounting Flange:
0.488 inches
Features Provided:
Zero adjuster
Movement Suspension Method:
Jewel pivot base
Circuit Attachment Method And Quantity:
2 threaded stud
Nuclear Hardness Critical Feature:
Nonhardened
Style Designator:
Rectangular flush mtg
Fsc Application Data:
Test set electronic equip.
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No