NSN 6625-01-228-5673

Ammeter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-01-228-5673

Circuit Current For Which Designed: Dc **Dielectric Withstanding Voltage In Volts:** 1500.0 **Overall Length:** 7.730 inches Center To Center Distance Between Mounting Facilities Parallel To Length: Between 6.045 inches and 6.055 inches Center To Center Distance Between Mounting Facilities Parallel To Width: Between 0.720 inches and 0.730 inches **Overall Height:** 1.540 inches **Overall Width:** 6.720 inches Scale Division Quantity: 50 single indicator single range **Mounting Stud Length:** 1.270 inches **Environmental Protection:** Dripproof and shock resistant and vibration resistant **Indicator Type:** Dial w/pointer Installation Design: Panel **Mounting Arrangement Style:** Four hole/stud rectangular/square Sensitivity Rating: 1.0 milliamperes **Dial Scale Marking Color:** Black single indicator single range Accuracy In Percent: -2.0 to 2.0 at full scale single indicator single range Meter Depth Behind Mounting Flange: 5.840 inches Meter Body Width Behind Mounting Flange: 5.435 inches Movement Type: Moving coil, permanent magnet **Background Color:** White single indicator single range **Pointer Color:**

Red single indicator single range

NSN 6625-01-228-5673

Ammeter - Page 2 of 2



Mounting Facility Type And Quantity: 4 threaded stud Scale Graduation Type: Linear single indicator single range **Measurement Range:** -5.0 to 5.0 kiloamperes, dc single indicator single range Mounting Stud Diameter: 0.190 inches Meter Body Height Behind Mounting Flange: 1.225 inches **Features Provided:** Magnetic shield and zero adjuster **Movement Suspension Method:** Jewel pivot base **Circuit Attachment Method And Quantity:** 2 threaded stud **Special Features:** Ruggedized Style Designator: Rectangular flush mtg Supplementary Features: Meter will be mounted on vertical panels **Fsc Application Data:** Test set electronic equip. Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: A310a0