NSN 6625-01-233-8495

Ammeter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-01-233-8495

| Circuit Current For Which Designed: |
|---|
| Dc |
| Overall Length: |
| 4.094 inches |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 3.376 inches |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 3.376 inches |
| Overall Height: |
| 4.422 inches |
| Overall Width: |
| 4.422 inches |
| Mounting Stud Length: |
| 0.625 inches |
| Indicator Type: |
| Dial w/pointer |
| Installation Design: |
| Panel |
| Mounting Arrangement Style: |
| Four hole/stud rectangular/square |
| Accuracy In Percent: |
| -2.0/+2.0 at full scale single indicator single range |
| Unable To Decode: |
| Unable to decode or unable to decode |
| Meter Depth Behind Mounting Flange: |
| 2.812 inches |
| Meter Body Diameter Behind Mounting Flange: |
| 3.930 inches |
| Movement Type: |
| Moving coil, permanent magnet |
| Power Source: |
| External |
| Mounting Facility Type And Quantity: |
| 4 threaded stud |
| Mounting Stud Diameter: |
| 0.250 inches |
| Features Provided: |
| Zero adjuster |
| Movement Suspension Method: |
| Jewel pivot base |

2 threaded stud

Circuit Attachment Method And Quantity:

NSN 6625-01-233-8495

Ammeter - Page 2 of 2



| Nuclear Hardness Critical Feature: |
|---|
| Nonhardened |
| Style Designator: |
| Rectangular flush mtg |
| Fsc Application Data: |
| Test set electronic equip. |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |

Fiig: A310a0