

View Online at <https://aerobasegroup.com/nsn/6625-01-236-9458>

**Circuit Current For Which Designed:**

Ac

**Dielectric Withstanding Voltage In Volts:**

3000.0

**Overall Length:**

7.980 inches

**Overall Height:**

2.035 inches

**Overall Width:**

3.875 inches

**Frequency Rating:**

Between 0.047 kilohertz and 1.200 kilohertz

**Environmental Protection:**

Airtight and dust resistant and fungus resistant and heat resistant and humidity resistant and shock resistant and vibration resistant and water resistant

**Furnished Items And Quantity:**

Seal 1

**Indicator Type:**

Digital display

**Installation Design:**

Panel

**Frequency Response Range:**

+0.047/+1.200 kilohertz

**Sensitivity Rating:**

115.0 volts

**Dial Scale Marking Color:**

White single indicator single range

**Meter Depth Behind Mounting Flange:**

7.290 inches

**Meter Body Width Behind Mounting Flange:**

3.594 inches

**Background Color:**

Black single indicator single range

**Power Source:**

External

**Mounting Facility Type And Quantity:**

1 bezel and 1 plug-in

**Display Type:**

Light emitting diode

**Display Digit Quantity:**

5-1/2

**Measurement Range:**

+47.0/+1200.0 hertz single indicator single range

**Scale Selection Method:**

Terminal

**Meter Body Height Behind Mounting Flange:**

1.740 inches

**Features Provided:**

Magnetic shield

**Accuracy Rating:**

Porm 0.05 pct of one digit single indicator single range

**Display Color:**

Red single indicator single range

**Circuit Attachment Method And Quantity:**

1 printed circuit

**Operating Voltage Rating In Volts:**

115.0 ac

**Phase:**

Single

**Special Features:**

Ruggedized

**Special Markings:**

Number each pin o back, 1 to 16

**Material:**

Plastic

**Nuclear Hardness Critical Feature:**

Nonhardened

**Surface Treatment:**

Paint

**Special Test Features:**

Complies with mil-m-10304

**Style Designator:**

Rectangular flush mtg

**Fsc Application Data:**

Test set, elect. Equip.

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A310a0