

View Online at <https://aerobasegroup.com/nsn/6625-01-237-9636>

**Circuit Current For Which Designed:**

Dc

**Overall Length:**

4.625 inches

**Overall Height:**

Between 0.480 inches and 0.520 inches

**Overall Width:**

Between 3.980 inches and 4.020 inches

**Mounting Hole Diameter:**

Between 0.182 inches and 0.192 inches

**Scale Division Quantity:**

30 single indicator single range

**Environmental Protection:**

Shock resistant and vibration resistant

**Distance Between Mounting Facility Centers:**

Between 3.552 inches and 3.572 inches

**Furnished Items And Quantity:**

Washer 2; nut 4

**Indicator Type:**

Dial w/pointer

**Installation Design:**

Panel

**Mounting Arrangement Style:**

Two hole/stud

**Sensitivity Rating:**

1000.0 ohms per volt

**Dial Scale Marking Color:**

Black single indicator single range

**Accuracy In Percent:**

-2.0/+2.0 at full scale single indicator single range

**Unable To Decode:**

Unable to decode or unable to decode

**Meter Depth Behind Mounting Flange:**

3.937 inches

**Meter Body Width Behind Mounting Flange:**

Between 2.906 inches and 2.968 inches

**Movement Type:**

Moving coil, permanent magnet

**Background Color:**

White single indicator single range

**Pointer Color:**

Black single indicator single range

**Power Source:**

External

**Mounting Facility Type And Quantity:**

2 unthreaded hole

**Scale Graduation Type:**

Linear single indicator single range

**Measurement Range:**

+0.0/+30.0 volts, dc single indicator single range

**Meter Body Height Behind Mounting Flange:**

Between 0.480 inches and 0.520 inches

**Features Provided:**

Magnetic shield and zero adjuster

**Movement Suspension Method:**

Jewel pivot base

**Circuit Attachment Method And Quantity:**

2 threaded stud

**Special Features:**

Ruggedized

**Material:**

Steel

**Nuclear Hardness Critical Feature:**

Nonhardened

**Surface Treatment:**

Anodize

**Special Test Features:**

Conforms to mil-m-10304

**Style Designator:**

Rectangular flush mtg

**Supplementary Features:**

Insulation res 100 megohms

**Fsc Application Data:**

Test set, elect. Equip.

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A310a0