# NSN 6625-01-250-1264

Voltmeter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-01-250-1264

# Circuit Current For Which Designed:

Ac

# **Dielectric Withstanding Voltage In Volts:**

500.0

# **Overall Length:**

5.060 inches

#### **Overall Height:**

1.750 inches

#### **Overall Width:**

4.000 inches

#### **Frequency Rating:**

400.0 hertz

#### Indicator Type:

Digital display

#### Installation Design:

Panel

#### Frequency Response Range:

+47.000/+440.000 hertz

#### Meter Depth Behind Mounting Flange:

4.000 inches

# Meter Body Width Behind Mounting Flange:

3.875 inches

#### Background Color:

Black single indicator single range

#### **Power Source:**

External

#### Mounting Facility Type And Quantity:

2 clamp

#### **Display Type:**

Gas discharge tube

#### **Display Digit Quantity:**

4

# Measurement Range:

+0.0/+300.0 volts, dc single indicator single range

# Scale Selection Method:

Terminal

# Meter Body Height Behind Mounting Flange:

1.670 inches

# **Features Provided:**

Autoranging

### Accuracy Rating:

Porm 0.005 pct of reading porm 2 counts single indicator single range

# **NSN 6625-01-250-1264** Voltmeter - Page 2 of 2

Red sin	gle indicator single range
Circuit	Attachment Method And Quantity:
1 printe	d circuit
Operati	ng Voltage Rating In Volts:
240.0 a	c
Phase:	
Single	
Special	Features:
2.5 wat	power consumption
Nuclea	r Hardness Critical Feature:
Nonhar	dened
Style D	esignator:
Rectan	gular flush mtg
Fsc Ap	plication Data:
Test se	, elect. Equip.
Shelf L	ife:
N/a	
Unit Of	Measure:
Demilit	arization:
No	
Fiig:	
A310a0	

