

View Online at <https://aerobasegroup.com/nsn/6625-01-261-0320>

Overall Depth:

21.300 inches

Overall Height:

7.700 inches

Overall Width:

18.500 inches

Ac Voltage Rating:

Between 110.0 volts and 220.0 volts

Frequency Rating:

Between 50.0 hertz and 440.0 hertz

End Application:

An/apg-66 and an/apg-68

Electrical Power Source Relationship:

Operating

Indicator Type:

Cathode ray tube

Special Features:

Dual floppy discs; full ascii keyboard; 32 remote terminal capability; rugged metal case/w/handle; hinged keyboard folds over 9 in. Diagonal crt; benchtop testing from keyboard, computer assisted automated testing, or testing from pc via rs-232/ieee 488 interface; monitor and real time displays: bus traffic display, remote terminal errors, error time analysis, status response analysis, dynamic data tables; high speed parallel ttl output for data logging; noise gate; trigger input/output; serial output; internal transceiver inhibit control; composite video output for alternate monitors; 72 key full word processor w/hexidecimal keypad; hi-rel optically switched light pen; bi-directional transmit sync interface for control of multiple analyzers and other test equipment; programmable scrolling

Functional Description:

Benchtop development station for prototype development, stores bus set-ups and tests during design stages to provide framework for complete validation testing; internal host computer runs same tests for fully automated prodction testing of bus controllers/remote terminals

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T263-c