NSN 6625-01-264-2947

Electrical Frequency Meter - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/6625-01-264-2947

View Online at https://aerobasegroup.com/nsn/6625-01-264-2947
Circuit Current For Which Designed:
Ac
Dielectric Withstanding Voltage In Volts:
2600.0
Overall Length:
3.050 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.736 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.370 inches
Overall Height:
3.500 inches
Overall Width:
3.500 inches
Scale Division Quantity:
40 single indicator single range
Frequency Rating:
400.0 hertz
Mounting Stud Length:
0.530 inches
Environmental Protection:
Dustproof and splash proof and water resistant
Shortest Horizontal Distance Between Mounting Centers:
1.368 inches
Furnished Items And Quantity:
Gasket 1; nut 9; washer 4
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Mounting Arrangement Style:
Three hole/stud triangular
Dial Scale Marking Color:
Black single indicator single range
Accuracy In Percent:
-3.0/+3.0 at full scale single indicator single range
Meter Depth Behind Mounting Flange:
1.610 inches
Meter Body Diameter Behind Mounting Flange:
2.700 inches

Movement Type:

Moving iron vane

NSN 6625-01-264-2947

Electrical Frequency Meter - Page 2 of 3



Background Color:
White single indicator single range
Pointer Color:
Black single indicator single range
Power Source:
External
Mounting Facility Type And Quantity:
3 threaded stud
Scale Graduation Type:
Linear single indicator single range
Measurement Range:
+360.0/+440.0 hertz single indicator single range
Mounting Stud Diameter:
0.112 inches
Scale Selection Method:
Terminal
Features Provided:
Zero adjuster
Movement Suspension Method:
Taut band
Circuit Attachment Method And Quantity:
2 threaded stud
Operating Voltage Rating In Volts:
Between 110.0 ac and 130.0 ac
Phase:
Single
Special Features:
1100 v peak working voltage
Material:
Plastic
Nuclear Hardness Critical Feature:
Nonhardened
Style Designator:
Rectangular flush mtg
Supplementary Features:
4.0 va maximum burden
Fsc Application Data:
Test set, elect. Equip.
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

NSN 6625-01-264-2947

Electrical Frequency Meter - Page 3 of 3



Fiig:

A310a0