

View Online at <https://aerobasegroup.com/nsn/6625-01-264-6617>

Circuit Current For Which Designed:

Dc

Overall Length:

0.720 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

4.250 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.250 inches

Overall Height:

3.550 inches

Overall Width:

4.550 inches

Mounting Hole Diameter:

0.156 inches

Environmental Protection:

Humidity resistant

Indicator Type:

Digital display

Installation Design:

Panel

Mounting Arrangement Style:

Four hole/stud rectangular/square

Background Color:

Black single indicator single range

Power Source:

External

Mounting Facility Type And Quantity:

4 unthreaded hole

Display Type:

Light emitting diode

Display Digit Quantity:

4-1/2

Measurement Range:

-19999.0/+19999.0 amperes, dc single indicator single range

Scale Selection Method:

Terminal

Accuracy Rating:

Porm 0.05 pct of reading porm 1 count single indicator single range

Display Color:

Red single indicator single range

Circuit Attachment Method And Quantity:

4 quick disconnect, male

Operating Voltage Rating In Volts:

5.0 dc

Special Features:

Term. Accept 18 to 22 awg wire

Material:

Plastic

Nuclear Hardness Critical Feature:

Nonhardened

Style Designator:

Rectangular surface mtg

Supplementary Features:

0.9 in. Phantasm, 0.56 in. Objective h display

Unit Of Issue Weight:

0.75 pounds

Fsc Application Data:

Test set, elect. Equip.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A310a0