

View Online at <https://aerobasegroup.com/nsn/6625-01-266-3203>

Circuit Current For Which Designed:

Ac

Overall Length:

4.315 inches

Overall Height:

1.890 inches

Overall Width:

4.000 inches

Frequency Rating:

Between 47.0 hertz and 63.0 hertz

Environmental Protection:

Humidity resistant

Indicator Type:

Digital display

Installation Design:

Panel

Meter Depth Behind Mounting Flange:

3.310 inches

Meter Body Width Behind Mounting Flange:

3.580 inches

Background Color:

Black single indicator single range

Power Source:

External

Display Type:

Light emitting diode

Display Digit Quantity:

3-1/2

Measurement Range:

-199.9/+199.9 millivolts single indicator single range

Scale Selection Method:

Terminal

Meter Body Height Behind Mounting Flange:

1.645 inches

Features Provided:

Electrical overload protection

Accuracy Rating:

Porm 0.05 pct of reading porm 1 digit single indicator single range

Display Color:

Red single indicator single range

Circuit Attachment Method And Quantity:

2 printed circuit

Operating Voltage Rating In Volts:

Between 87.0 ac and 132.0 ac

Phase:

Single

Special Features:

2.7 watts power

Material:

Plastic

Nuclear Hardness Critical Feature:

Nonhardened

Special Test Features:

Meets ul 94-v-0

Style Designator:

Rectangular flush mtg

Supplementary Features:

Pos or neg signal

Unit Of Issue Weight:

0.91 pounds

Fsc Application Data:

Test set, elect. Equip.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A310a0