

View Online at <https://aerobasegroup.com/nsn/6625-01-267-6590>

**Circuit Current For Which Designed:**

Dc

**Overall Length:**

5.875 inches

**Overall Height:**

1.060 inches

**Overall Width:**

4.812 inches

**Mounting Hole Diameter:**

0.156 inches

**Frequency Rating:**

Between 58.0 hertz and 420.0 hertz

**Distance Between Mounting Facility Centers:**

4.312 inches

**Indicator Type:**

Digital display and bargraph

**Installation Design:**

Panel

**Mounting Arrangement Style:**

Two hole/stud

**Sensitivity Rating:**

200.0 microamperes

**Meter Depth Behind Mounting Flange:**

5.250 inches

**Meter Body Width Behind Mounting Flange:**

3.750 inches

**Scale Marking:**

Pounds x 1000; 0 to 10

**Mounting Facility Type And Quantity:**

2 screw and 2 unthreaded hole

**Display Type:**

Light emitting diode

**Display Digit Quantity:**

3

**Meter Body Height Behind Mounting Flange:**

0.730 inches

**Features Provided:**

Overranging and self-illumination facility and warning feature

**Accuracy Rating:**

Porm 1 pct single indicator single range

**Circuit Attachment Method And Quantity:**

6 threaded stud

**Operating Voltage Rating In Volts:**

Between 107.0 ac and 123.0 ac

**Special Features:**

0 to 5 vrms controls led brightness

**Material:**

Plastic

**Nuclear Hardness Critical Feature:**

Nonhardened

**Surface Treatment:**

Paint

**Style Designator:**

Rectangular flush mtg

**Supplementary Features:**

Front panel test switch; green under or overrange light

**Fsc Application Data:**

Test set, elect. Equip.

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A310a0